WESTERN FENCING

BMD

Pocket Fence Catalog

BMD Brand Fencing
Your Total Fencing Source



www.bmdusa.com/building-products/western-fencing

Building Material Distributors, Inc.
is proud to introduce our
fencing wire product line.

WESTERN FENCING

BMD Brand Fencing
Your Total Fencing Source

To serve all your fencing needs,
BMD also distributes these widely
recognized, quality brand names:

Keystone Steel & Wire
Red Brand®

Davis Wire Corporation
Ranch Hand®

Bekaert Corporation
High Tensile Fencing

Western Square
Gates

Deer Buster
Black Poly Deer Fence

Oklahoma Steel
Stockade Panels

BUILDING MATERIAL DISTRIBUTORS, INC.
BMD
AN EMPLOYEE OWNED COMPANY

Table of Contents

Western Fencing

Guide to Easy Fence Selection 3
Acreage Guide 4
Acreage Table 5
Western Fencing Displays 6
Welded Wire 7
Green & Black PVC Welded Wire 8
Poultry Netting 9
Aviary Netting 10
Gopher Wire 11
Hardware Cloth 11
Black PVC Hardware Cloth 12
Tomato Wire 13
T-Posts & U-Posts 14

Keystone Steel & Wire

Red Brand® Barbed Wire 16
Red Brand® Fence Stays 16
Fence Staples 16
How to "Read" Red Brand® Fence 17
Multi-Use Woven Field Fence 18
Red Brand® Deer & Orchard 19
Red Brand® "Non-Climb" Fence 20
Yard, Garden & Kennel Fence 20
Galvanized Electric Fence Wire 21
Sheep & Goat Fence 21
KeepSafe® Horse Fence 22
Stockade Panels 39

Davis Wire Corporation

Barbed Wire 24
Ornamental Fence 24
Hinge Joint Field Fence 25
Stiff Stay Field Fence 26
Deer & Rabbit Fence 27
Stablemesh – Horse Fence 28

Bekaert

Hinge Joint Field Fence 30
Black Bezinal "S" Knot Horse Fence 30
Barbed Wire - Gaucho® 31
Gaucho Hi-Tensile Game Fence 31
Solidlock® Hi-Tensile Game Fence 32
Zinc Aluminum Game Fence 32
Fixed Knot Product Details 33
What is High Tensile Wire 34

Western Square

Gates 36

Deer Fence

Black Poly Deer Fence 38

Oklahoma Steel

Stockade Panels 40

Guide to Easy Fence Selection

There are many types of fence and each is meant to perform a specific job. This guide will help you select the best fence to serve your needs.

Mesh Design

Fencing is constructed by forming the wire into uniform patterns called "mesh." Each mesh design has been refined through years of experience and use.

SQUARED MESH

Consists of wires welded to form a squared or rectangular pattern. This mesh is available in many mesh patterns and various gauges and is galvanized before it is welded.

HEXAGONAL MESH

Consists of lightweight wire that is woven to form a hexagon pattern. This mesh is available in 4 different sizes and is galvanized before it is woven.

Wire Gauge

Fencing is made from various gauges of wire – from very heavy to very light. The chart below shows you the size of each gauge (Ga.) of wire used in making fencing. Notice that as the gauge size gets larger, the wire size gets smaller.



Acreage Guide

Use this diagram to calculate the number of rods/footage of fence required to enclose fields of different sizes.



1 rod = 16-1/2 ft.
10 rods = 165 ft.
20 rods = 330 ft.
1/4 mile = 1,320 ft. or 80 rods
1/2 mile = 2,640 ft. or 160 rods
1 mile = 5,280 ft. or 320 rods

Acreage Table

This table helps calculate the number of rolls required to enclose various acreage sizes. These are suggested guidelines.

Acres	*Fence 20 Rod Rolls*	*Fence 100 Ft. Rolls*	*Barb Wire 80 Rod Rolls 1 Strand*
1	3	9	1
2	4	12	1
3	5	15	1
4	5	17	2
5	6	19	2
6	7	21	2
7	7	22	2
8	8	24	2
9	8	25	2
10	8	26	2
11	8	28	2
12	9	29	3
13	10	31	3
14	10	31	3
15	10	33	3
16	11	34	3
17	11	35	3
18	11	36	3
19	11	37	3
20	12	38	3
25	13	42	4
30	14	46	4
35	15	50	4
40	16	53	4
45	17	56	5
50	18	60	5
55	19	62	5
60	20	65	5
65	21	68	6
70	22	70	6
75	22	73	6
80	23	75	6
85	24	77	6
90	24	80	6
95	25	82	7
100	26	84	7
105	26	86	7
110	27	88	7
115	28	90	7
120	28	92	7
125	28	94	7
150	31	103	8
175	34	111	8
200	36	118	9
225	38	126	10
250	40	132	10
275	42	139	11
300	44	145	11
325	46	151	12
350	48	157	12
375	49	162	13
400	51	167	13
425	53	173	13
450	54	177	14
475	56	182	14

Western Fencing Displays

BMD is proud to present the Western Fencing Display Rack. This sleek design will help your customers find all of their fencing needs fast and effectively. Along with our superior fencing products, BMD provides marketing support and POP solutions for all of our stocking customers.

Garden Fence
Tomato Wire
Poultry Netting
Aviary Netting
Hardware Cloth
Gopher Wire
U-Posts

Actual Size: 48" x 36"



Welded Wire

Welded Wire (General Purpose Fabric) is a multi-purpose fence used for all types of farm and home applications. Some of the popular usages include cages, livestock panels, garden fencing and temporary pens. Solid welded construction ensures a sturdy fence design.

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x4	12½	36"	100'	72
2x4	12½	48"	100'	96
2x4	12½	60"	100'	119
2x4	12½	72"	100'	141
2x4	12½	36"	50'	38
2x4	12½	48"	50'	49
2x4	12½	60"	50'	62
2x4	12½	72"	50'	73
1x2	14	18"	100'	47
1x2	14	24"	100'	62
1x2	14	36"	100'	94
1x2	14	48"	100'	122
1x2	14	60"	100'	155
1x2	14	72"	100'	186
1x1	14	24"	100'	84
1x1	14	36"	100'	125
1x1	14	48"	100'	164
2x4	14	36"	100'	48
2x4	14	48"	100'	64
2x4	14	60"	100'	80
2x4	14	72"	100'	96
2x4	14	36"	50'	24
2x4	14	48"	50'	32
2x4	14	60"	50'	40
2x4	14	72"	50'	48
½x1	16	24"	100'	76
½x1	16	36"	100'	114
½x1	16	48"	100'	151
1x1	16	24"	100'	50
1x1	16	36"	100'	75
1x1	16	48"	100'	101
2x2	16	24"	100'	26
2x2	16	36"	100'	39
2x2	16	48"	100'	52
2x2	16	60"	100'	64
2x3	16	36"	50'	76
2x3	16	48"	50'	87

Green & Black PVC Welded Wire

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x4	14	36″	100'	48*
2x4	14	48″	100'	64
2x4	14	60″	100'	80
2x4	14	72″	100'	96*
2x4	14	36″	50'	24
2x4	14	48″	50'	32
2x4	14	60″	50'	40
2x4	14	72″	50'	48

** Black only available*

Garden Fence *(Green Vinyl Coated)*

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x2½	16	24"	25'	9
2x2½	16	24"	25'	9
2x2½	16	24"	25'	9

Poultry Netting

This fencing is ideal for poultry and pet pens, and many other home and garden projects. It provides predator-proof protection for domestic fowl and gardens.

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
1"	20	12"	150'	18
1"	20	18"	150'	24
1"	20	24"	150'	32
1"	20	36"	150'	46
1"	20	48"	150'	62
1"	20	60"	150'	77
1"	20	72"	150'	92
1"	20	12"	50'	6
1"	20	18"	50'	8
1"	20	24"	50'	11
1"	20	36"	50'	15
1"	20	48"	50'	21
1"	20	60"	50'	26
1"	20	72"	50'	31
1"	20	24"	25'	5
1"	20	36"	25'	8
1"	20	48"	25'	10
1"	20	24"	10'	2
1"	20	36"	10'	2
1"	20	48"	10'	4
1"	20	24"	5'	1
1"	20	36"	5'	1.5
1"	20	48"	5'	2
2"	20	24"	150'	16
2"	20	36"	150'	23
2"	20	48"	150'	31
2"	20	60"	150'	38
2"	20	72"	150'	46
2"	20	24"	50'	5
2"	20	36"	50'	8
2"	20	48"	50'	10
2"	20	60"	50'	13
2"	20	72"	50'	15
2"	20	24"	25'	3
2"	20	36"	25'	4
2"	20	48"	25'	5

Aviary Netting

This galvanized woven fence is perfect for bird cages, topiary projects, temporary fence partitions and erosion control.

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
½"	22	24"	100'	20
½"	22	36"	100'	30
½"	22	48"	100'	40
½"	22	72"	100'	66
½"	22	24"	50'	10
½"	22	36"	50'	16
½"	22	48"	50'	20
½"	22	72"	50'	34
½"	22	24"	25'	5
½"	22	36"	25'	8
½"	22	48"	25'	10
½"	22	72"	25'	17
½"	22	24"	10'	2
½"	22	36"	10'	3
½"	22	48"	10'	4
½"	22	48"	5'	1
½"	22	48"	5'	2

Gopher Wire

This galvanized woven fence is gopher exclusion for your plants, trees and lawns. It can also be used as a barrier for erosion control, topiary projects and temporary fence partitions.



Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
¾"	20	24"	100'	20
¾"	20	36"	100'	29
¾"	20	48"	100'	39
¾"	20	60"	100'	48
¾"	20	24"	25'	5
¾"	20	36"	25'	7
¾"	20	48"	25'	10

Hardware Cloth

Durable, multi-purpose mesh is ideal for garden use, workshop and home projects. It is also used for gopher and erosion control. This product is galvanized after fabrication.

Hardware Cloth Available in 3 Mesh Sizes

2x2 Mesh
1/2" x 1/2"
Openings



4x4 Mesh
1/4" x 1/4"
Openings



8x8 Mesh
1/8" x 1/8"
Openings



Galvanized Hardware Cloth

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x2	19	24"	100'	46
2x2	19	36"	100'	68
2x2	19	48"	100'	88
2x2	19	24"	10'	4
2x2	19	36"	10'	6
2x2	19	86"	10'	8
2x2	19	24"	5'	2
2x2	19	36"	5'	3
2x2	19	48"	5'	4
4x4	23	24"	100'	46
4x4	23	36"	100'	66
4x4	23	48"	100'	87
4x4	23	24"	10'	3
4x4	23	36"	10'	5
4x4	23	48"	10'	7
4x4	23	24"	5'	2
4x4	23	36"	5'	3
4x4	23	48"	5'	3.5
8x8	27	24"	100'	32
8x8	27	36"	100'	50
8x8	27	48"	100'	70
8x8	27	48"	5'	3.5

Black PVC Hardware Cloth

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x2	19	24"	100'	46
2x2	19	36"	100'	68
2x2	19	48"	100'	88
4x4	23	24"	100'	46
4x4	23	36"	100'	68
4x4	23	48"	100'	90

Tomato Wire

This product provides support and stabilizes heavy tomato plants. It prevents plant sprawl and provides easy access to fruit. The 20' length of this product makes 4 cylindrical cages.

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
4x6	16	48"	20'	6

4x6 Mesh
4"x 6"
Openings



T-Posts

All T-Posts are sold per piece and in 5 piece bundle increments. There are 40 bundles or 200 T-Posts per pallet. Each T-Post comes with 5 clips at no charge. All T-Posts are Green with Ivory Tip.

Code	*Height*
Lightweight T-Post	
5TPLWG	5′
56TPLWG	5-1/2″
6TPLWG	6′
66TPLWG	6-1/2′
7TPLWG	7′
8TPLWG	8′
Heavyweight T-Post	
5TPHW125G	5′
56TPHW125G	5-1/2′
6TPHW125G	6′
66TPHW125G	6-1/2′
7TPHW125G	7′
8TPHW125G	8′
9TPHW125G	9′
10TPHW125G	10′
133's T-Post	
5TP133G	5′
6TP133G	6′
66TP133G	6-1/2′
7TP133G	7′
8TP133G	8′
9TP133G	9′
10TP133G	10′

U-Posts

All U-Posts are sold per piece in 5 piece bundle increments. There are 30 bundles or 150 U-Posts per pallet. All U-Posts are solid green.



Code	*Height*
U-Post	
3UP	3′
4UP	4′
5UP	5′
6UP	6′

BMD Presents

Keystone Steel & Wire

RED BRAND®

Red Brand® – Standing guard since 1889™. "The most respected name in farm fence."

Other Keystone/Red Brand® products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Keystone/Red Brand® line of products.

Special Order Items:

- King Ranch® Fence
- Cross Lock® Fencing
- High Tensile Barb Wire
- Deer & Wildlife Fence

For a complete list of Red Brand fencing products, please consult your BMD Full-Line Catalog or log on to **www.redbrand.com**.

Red Brand® Barbed Wire

Available in different styles:

Ruthless® – 4-point barb style, 12-1/2 gauge, Class I galvanized, 5" barb spacing. Designed to confine the largest animals on the ranch.

Defender® – 2-point barb style, 12-1/2 gauge, Class I galvanized.

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
50 Defender	12-1/2	2 pt.	4"	1,320'	78
80 Ruthless	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	70

Red Brand® Fence Stays

Galvanized spiral fence stays keep barbed wire lines trim and evenly spaced.

Length	*Gauge*	*Stays Per Bundle*	*Bundle Weight*
36"	9½	100	35
42"	9½	100	40
48"	9½	100	46

Red Brand® Toughcoat™ Premium Fence Staples

Size	*Gauge*	*Weight*
	40# PAIL	
1½"	8	40# PAIL
1¾"	8	40# PAIL
2"	8	40# PAIL

Size	*Gauge*	*Weight*
	10# PAIL	
1½"	8	10# PAIL
1¾"	8	10# PAIL
2"	8	10# PAIL

How to "Read" Red Brand® Fence

Look for the style number, which is a quick description of the important dimensions of the fence it classifies.

Example: Style #1047-6-12-1/2, 10 is the number of line wires in 47 inches of height, 6 is the spacing between each vertical stay wire measured in inches, 12-1/2 is the gauge of the wire.



"Knots" Make a Fence!

Many heavy gauge wire fence styles are made by "tying" sections of wire together with "knots." Red Brand uses two types of knots, each with a specific advantage in use.

RED BRAND® EXCLUSIVE SQUARE DEAL® KNOT

This construction prevents fence from buckling or sagging. It provides extra vertical strength and rigidity while allowing flexibility for ideal installation over hilly terrain. One-piece vertical stay wires are tied to line wires and crimped at the joint to prevent slippage.

UNIQUE MONARCH® KNOT

This knot acts as a hinge that gives under pressure, then springs back into shape. Monarch fence is easy to install because the hinge "gives." The fence always retains its full height for continuing protection and good looks. Vertical wires are individually cut and wrapped for maximum strength flexibility.

Multi-Use Woven Field Fence

Field Fence is available in different heights with your choice of the Square Deal® Knot or the Monarch® Knot. An all terrain graduated fencing, ideal for rolling hilly areas, corrals and pastures.

Red Brand® Field Fence

– Monarch® Knot *(Hinge Joint)*

Class I / 10 gauge top & bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

Red Brand® Field Fence

– Square Deal® Knot *(Stiff Stay)*

Class I / 10 gauge top & bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
832-6-12-1/2	12½	32"	148
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

Deer & Orchard Fence

This fence offers ideal protection against deer and elk, keeping predators out of orchards, vineyards and gardens. The unique design has wider spacing at the top and closer spacing at the bottom, so fencing can't be penetrated by small animals.



Red Brand® Deer & Orchard Fence - Monarch® Knot *(Hinge Joint)*

Class I / 11 gauge top & bottom wires
(10 Rod Roll – 165')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
2048-6-14-1/2	14½	48"	87
2360-6-14-1/2	14½	60"	101
2672-6-14-1/2	14½	72"	115

Red Brand®
Deer &
Orchard Fence

Red Brand®
Non-Climb
Horse Fence

Yard, Garden
& Kennel Fence

“Non-Climb” Horse Fence

This closely-woven 2"x 4" vertical mesh pattern has been specifically designed to prevent horses, cows or hoofed animals from “stepping through” or “walking down” the fence. Features the Square Deal® Knot.



Red Brand® Non-Climb Horse Fence

– Square Deal® Knot *(Stiff Stay)*

Class I / 10 gauge top & bottom wires (100' Rolls)

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1036-2-12-1/2	12½	36"	92
1348-2-12-1/2	12½	48"	120
1660-2-12-1/2	12½	60"	148
1972-2-12-1/2	12½	72"	177

Yard, Garden & Kennel Fence

This 2" x 2" mesh safeguards yards, toddlers and pets. This fence is strong yet lightweight, making it ideal for kennel fencing. Easy-to-handle and features the exclusive Square Deal® Knot. Yard, Garden & Kennel fence is an economical alternative to costly chain link fence.

Yard, Garden & Kennel Fence

– Square Deal® Knot *(Stiff Stay)*

Style#	*Gauge*	*Fence Height*	*Roll Weight*
Commercial (100' Rolls)			
1936-2-16	16	36"	51
2548-2-16	16	48"	66
3160-2-16	16	60"	83
3772-2-16	16	72"	104
Commercial (50' Rolls)			
1936-2-16	16	36"	25
2548-2-16	16	48"	33

Galvanized Electric Fence Wire

Ideal for adding extra security to existing systems for changeable confinement operations. Galvanized for resistance to rust and corrosion. Available in handy dispensing spools.

Electric Fence Wire

Gauge	*Spool Length*	*Spools Per Carton*	*Carton Weight*
14	¼ Mile	2	44
14	½ Mile	2	88
17	¼ Mile	4	40
17	½ Mile	2	40

Sheep & Goat Fence

Unique 4" x 4" mesh spacing provides strong confinement and prevents animals from putting their heads through the fence. The exclusive Square Deal® Knot provides extra strength and rigidity while allowing flexibility for easy installation on flat or hilly terrain.

Red Brand® Sheep & Goat Fence

– Square Deal® Knot *(Stiff Stay)*

Style#	*Gauge*	*Fence Height*	*Roll Weight*
	Class 1 (100' Rolls)		
1348-4-12-1/2	12½	48"	79
	Class 1 (330' Rolls)		
1348-4-12-1/2	12½	48"	261

KeepSafe® Horse Fence

Closely spaced, 2"x 4" diamond-mesh construction gives this fence linear strength and springy texture to protect horses from injury and prevent predators from entering paddocks and pastures.



Durable and Protective 2" x 4" Diamond Weave (V-Mesh)

Features heavy, twisted horizontal cables, each cable consisting of two wires on 4" spacing from ground to top. Vertical wires, securely wrapped around each horizontal cable, run diagonal to make a diamond pattern and thus form the strongest fence construction known. The wire is galvanized to avoid corrosion.



Red Brand® SafeGuard Horse Fence

Class 1 (165' Rolls)

Style/Height	*Horizontal Gauge*	*Vertical Gauge*	*Roll Weight*
50"	12½	14	253
58"	12½	14	294

BMD Presents

Davis Wire Corporation – Ranch Hand® Farm Fencing

Developing the West…
and Beyond

Other Davis Wire – Ranch Hand and Gold Brand products are available for order but may not be stocking items. Please call for inquires on any items not listed under the Davis Wire – Ranch Hand/Gold Brand line of products.

Special Order Items:

- V-Mesh
- Ornamental Fence
- High Tensile Field Fence
- Gold Brand Class 3 Field Fence
- Gold Brand Class 3 Stablemesh
- Baler Wire
- Vineyard Wire

For a complete list of Davis Wire fencing products, please consult your BMD Full-Line Catalog or log on to **www.daviswire.com**.

Barbed Wire

Ranch Hand is available in 2 pt. 5", 4pt. 5" and barbless and made of galvanized steel to endure the tests of time and weather.

Ranch Hand Barbed Wire

– Commercial Galvanized

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
Ranch Hard	12-1/2	2 pt.	4"	1,320'	76
Ranch Hand	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	68

Ornamental Fence

CF&I Ornamental fencing has graceful, curving top wire that combine eye appeal with the tough job of protecting vegetable and flower beds. Available in 100' rolls. *SPECIAL ORDER ITEM*

Style#	*Gauge*	*Fence Height*	*Roll Weight*
A-11 Double Looped	11	36"	97
A-11 Double Looped	11	42"	108
A-11 Double Looped	11	48"	122

Hinge Joint Field Fence

Flexible Hinge Joint knot gives Ranch Hand® woven field fence its unique ability to spring back into shape. Heavy livestock, falling tree limbs and fence-jumping critters like deer make this fence the rancher's first choice.



Ranch Hand®

– Field Fence *(Hinge Joint Knot)*

Commercial Galvanized
10 gauge top & bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
939-6-12-1/2	12½	39"	168
1047-6-12-1/2	12½	47"	190

Stiff Stay Field Fence

The Stiff Stay knot keeps its shape over hilly ground. Tough, sturdy construction stands up to impact from large animals without buckling or sagging. One piece vertical stay wires are tied to line wires and crimped at the joints to prevent slippage.

Silverado

– Field Fence *(Stiff Stay Knot)*

Commercial Galvanized
10 gauge top & bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
832-6-12-1/2	12½	32"	148
939-6-12-1/2	12½	39"	168
1047-6-12-1/2	12½	47"	190

Deer and Rabbit Fence

This fence keeps large and small predators out of gardens and orchards. Close spacing of line wires at the bottom of the fence keeps rabbits and other small animals away too. Stiff Stay knot gives Deer and Rabbit Fence extra rigidity, and the galvanized coating affords protection against corrosion.



Ranch Hand® Deer & Rabbit Fence

– (Stiff Stay Knot)

Commercial Galvanized
11 gauge top & bottom wires
10 Rod Roll – 165'

Style#	*Gauge*	*Fence Height*	*Roll Weight*
2048-6-14-1/2	14½	48"	85
2360-6-14-1/2	14½	60"	99
2672-6-14-1/2	14½	72"	114

Stablemesh – Horse Fence

Traditional horse fence is woven with a Stiff Stay knot and is smooth on both sides to protect animals while keeping the fence rigid. Keeps valuable horses secure. Durable, galvanized construction last for years.



Ranch Hand® – Stablemesh

– Horse Fence (Stiff Stay Knot)

Commercial Galvanized
10 gauge top & bottom wires
100' Rolls

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1036-2-12-1/2	12½	36"	96
1348-2-12-1/2	12½	48"	122
1660-2-12-1/2	12½	60"	151
1972-2-12-1/2	12½	72"	179

BMD Presents

BEKAERT

better together

Build a better, longer lasting fence with Bekaert.

Other Bekaert products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Bekaert line of products.

Special Order Items:

- Hi-Tensile Field Fence
- Cattle Fence
- Hi-Strength Horse Fence
- Solidlock Horse Fence
- Hi-Tensile Smooth Wire

For a complete list of Bekaert fencing products, please consult your BMD Full-Line Catalog or log on to **www.fencing.bekaert.com**.

Field Fence

Hinge Joint Field Fence

Field Fence is offered in a wide variety of heights and styles that feature graduated spacing that starts with narrow openings at the bottom which prevents the entry of small animals. The hinge joint knot is designed to give under pressure and spring back into shape with added flexibility and strength. The wire crimps allow the fence to expand and contract in order to withstand everything from corralling your precious investment to standing up to the most severe weather conditions. Our field fences ensure a solid construction on all terrains.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
939-6-12-1/2	12½	39"	170
1047-6-12-1/2	12½	47	194

Horse Fence

Black Bezinal "S" Knot

Horseman® is also available with Bekaert's exclusive ZA+ Paint advanced coating. Choose between black and green finish for a fence with an increased lifespan that will enhance the appearance of your property as well.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1348-2-12-1/2	12½	48"	122
1660-2-12-1/2	12½	60"	151
1972-2-12-1/2	12½	72"	183

Cattleman® Barbed Wire
Class 3 Galvanized

This product is perfect for the most demanding fence jobs. This product is Class 3 galvanized which will last 3 times longer and is 30% stronger than Class 1 12.5ga low carbon fencing and 15.5ga high tensile wire.

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
2 Pt Hi Strength	14	2 pt.	5"	1,320'	56
4 Pt Hi Strength	14	4 pt.	5"	1,320'	64

Gaucho® Barbed Wire
Class 3 Galvanized

This product is made of high tensile steel wire. This means we can use a smaller diameter wire while maintaining the same strength as conventional barbed wire. This product is also is made with Class 3 galvanized coating which is proven to last three times longer than Class 1.

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
2 Pt Hi-Tensile	15½	2 pt.	5"	1,320'	41
4 Pt Hi-Tensile	15½	4 pt.	5"	1,320'	42

Gaucho Hi-Tensile Game Fence

This product combines the familiar hinge joint knot with high tensile steel. This means Gaucho® is significantly stronger and installs faster with fewer posts. Plus, using Gaucho® means reduced sagging and less maintenance. This product is available in Class 3 galvanized for a longer fence life.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1478-6-12-1/2	12½	78'	266

Solidlock® Game Fence

The fixed knot design combined with high tensile wire makes Solidlock® the strongest woven wire fence you can buy. This design locks the line wire and stay wire together, giving you maximum strength. Plus, Solidlock®'s use of high tensile wire and solid vertical stays means little to no maintenance so you can spend less time worrying about your fence, regardless of whether you want to keep animals in or out.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1775-6-12-1/2	12½	75"	327
2096-6-12-1/2	12½	96"	396

ZA (Zinc Aluminum) Fence

Is made from the same high tensile steel as the industry leading Solidlock® Fixed Knot fence. The use of high strength wire means that our fence is not only stronger, but also easier to install because of its light weight and requires fewer posts during installation than low carbon fencing. Once properly installed, high tensile fixed knot fences remain tight for years and require very little maintenance.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
ZA 165' Roll			
1478-6-14ga	14	78"	105
ZA 330' Roll			
1478-6-14ga	14	78"	210


Solidlock® Game
available in 3”, 6” and 12”
23/120
20/96
17/75
15/61
17/96
10/60


Bekaert ZA Fixed Knot
available in 3”, 6” and 12”
16/90
14/78
10/47

What is High Tensile Wire

Agricultural fencing consists of low carbon wire or high tensile wire. Low carbon wire is made from steel rod with carbon content of approximately 0.06-0.08%. This type of wire is easy to work with and somewhat forgiving. However, it is prone to elongation (stretching and sagging) and the strength is low when compared to high tensile wire.

High tensile wire is made with higher carbon steel. The carbon content of this product is approximately 0.28%. This increased carbon content significantly increases the wire's strength and reduces elongation. This allows you to use a smaller diameter high tensile wire to replace a thicker carbon wire. Once properly installed, high tensile fences remain tight for years and require very little maintenance.

You can build a longer lasting, low maintenance fence for nearly half the price of a conventional low carbon fence.

Class 1, Class 3, Bekaert ZA and ZA+ Paint.

Class 1 galvanized coating is the protective coating used on standard fence wire. Class 1 is the basic coating used but doesn't last as long as our other coatings. A more effective alternative to Class 1 coating is Class 3 galvanized coating.

Class 3 galvanized coating is the standard on all of our brand name products. This coating is approximately 2.5 times thicker than the industry standard Class 1 galvanized coating. Bekaert Class 3 products ensure a longer life with a heavier coating that protects against environmental elements. Our Class 3 products all meet or exceed ASTM A-121 standards.

ZA, is our new zinc-aluminum hybrid coating, (95% Zn, 5% Al) developed and produced exclusively by Bekaert. This coating lasts 3 times as long as Class 1. The ZA coating lasts the same as Class 3 galvanized wire, but uses less coating to save you money.



New! ZA+ Paint Coating The latest addition to our line of coatings is our new painted finishes which combine a color polymer paint with our ZA coated wire to give you longer fence life in attractive colors. This coating is designed for maximum protection in even the most corrosive environments.

BMD Presents

WESTERN SQUARE INDUSTRIES

All Western Square products are manufactured using the highest quality materials available, and are powdered coated with Tuff Guard Powder Coating to insure years of corrosion resistance. (With the exception of the galvanized gates).

Other Western Square products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Western Square line of products.

Special Order Items:

- Rocky Mountain Panels & Gates
- Green River Panels & Gates
- Feeders
- Cattle Guards
- Deer Gates

For a complete list of Western Square products, please consult your BMD Full-Line Catalog or log on to **www.westernsquare.com**.

Galvanized Five Panel

Specifications:

Height: 52"
Rails: Five Roll-formed Galv. Sheet-Metal Panels
Latch: Easy Slide Latch
Hinges: 5/8" x 4-1/2" Lag Screw

Item Code	*Length*
4PANEL	4'
6PANEL	6'
8PANEL	8'
10PANEL	10'
12PANEL	12'
14PANEL	14'
16PANEL	16'

Silverado Economy Five Rail - Silver Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod



Item Code	*Length*
4TUBE	4'
6TUBE	6'
8TUBE	8'
10TUBE	10'
12TUBE	12'
14TUBE	14'
16TUBE	16'

Silverado Economy Five Rail - Evergreen Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod

Item Code	*Length*
G4TUBE	4'
G6TUBE	6'
G8TUBE	8'
G10TUBE	10'
G12TUBE	12'
G14TUBE	14'
G16TUBE	16'

Silverado Rancher

Hog Wire Filled - Silver Powder

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Wire: Graduated
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod



Item Code	*Length*
4GRADWRGATE	4'
6GRADWRGATE	6'
8GRADWRGATE	8'
10GRADWRGATE	10'
12GRADWRGATE	12'
14GRADWRGATE	14'
16GRADWRGATE	16'

Silverado Super Rancher (4"x2") Wire Mesh Filled

- Evergreen Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Wire: (4"x 2") Wire Mesh
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod



Item Code	*Length*
4WRGATE	4'
6WRGATE	6'
8WRGATE	8'
10WRGATE	10'
12WRGATE	12'
14WRGATE	14'
16WRGATE	16'

The Deer Gate*

- Evergreen Powder Coated

8' Height Extendable

Specifications:

Height: 72"
Rails: 1-5/8" Round Tube
Gauge: 18 Gauge Tube
Hinges: 5/8" x 12" Threaded Rod
Extension: 24" 1-3/8" Round Tube



Item Code	*Length*
4DEERGATE	4'
6DEERGATE	6'
8DEERGATE	8'
10DEERGATE	10'
12DEERGATE	12'
14DEERGATE	14'
16DEERGATE	16'

**Special Order Only*

DEER BUSTERS

Black Poly Deer Fence

Deer Fence is the best solution to your deer problem. Poly deer fence netting is lightweight but extremely durable with breaking strengths ranging from 600lb/sq.ft. to 850lb/sq.ft. Deer fencing provides affordable protection at a fraction of the cost of traditional fencing.

This deer fencing is corrosion proof & UV stabilized to reduce breakdown due to exposure, making it the best choice for all conditions and applications.

This deer fencing is virtually invisible. The black color and 2"x2" mesh size allow the fence to blend into the background from a distance of only a few feet. It is also easy to work with, it doesn't tangle or tear. The high quality deer fencing is stout enough to stand on its own, but remains flexible for easy installation through trees and along irregular fence lines.

This Heavy Duty Deer Fence has a 700/lb. breaking strengths per square foot to add increased protection to gardens where deer pressure may be more intense. This deer fence is rated to last 15 years.

Item Code	*Description*	*Roll Weight*
BPDF712100	7-1/2' x 100' Black Poly Deer Fence	20
BPDF712330	7-1/2' x 330' Black Poly Deer Fence	48

Keystone Steel & Wire

Item Code	Item Description	UoM
HOG PANEL 1134 - 8 - 4 GAUGE - 16' LONG		
HOGPANEL	11 Line Wires in 34" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece



Item Code	Item Description	UoM
RANCH PANEL 1052 - 8 - 4 GAUGE - 16' LONG		
RANCHPANEL	10 Line Wires in 52" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece



Item Code	Item Description	UoM
ECONO PANEL 1352 - 8 - 4 GAUGE - 16' LONG		
ECONOPANEL	13 Line Wires in 52" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece



Stockade Panels

Item Code	Item Description	UoM
HORSE PANEL 1660 - 2 - 6 GAUGE - 16' LONG		
HORSEPANEL	16 Line Wires in 60" Height (4"x 2") Pattern 25 Pieces Per Bundle	Piece

Item Code	Item Description	UoM
CATTLE PANEL 1660 - 4 - 4 GAUGE - 16' LONG		
CATTLEPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece

Item Code	Item Description	UoM
UTILITY PANEL 1660 - 4 - 6 GAUGE - 16' LONG		
UTILITYPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece

For 70 years, BMD has been known for its integrity, quality and unmatched service. This line of fencing wire is just one more way BMD is providing quality solutions to our customers. In addition to our Western Fencing line, BMD continues to carry other brand name agricultural products.

RED BRAND · DW · BEKAERT better together · W. SILVER, INC · CMC Commercial Metals · WESTERN SQUARE INDUSTRIES

Please give us a call today and let us know how we can help meet your fencing needs.

WESTERN FENCING

BMD

BMD Brand Fencing
Your Total Fencing Source

Category Manager
Reneé A. D'Onofrio

Ag Products Sales Team
Dawn Medeiros
Frank Primrose

Welded Wire
Poultry Netting
Hardware Cloth
Aviary Netting
Gopher Wire
Tomato Wire
U-Posts

Building Material Distributors, Inc.
Phone: 800-447-0397
Fax: 209-745-5172
www.bmdusa.com/westernfencing

WESTERN FENCING

BMD

Building Material Distributors, Inc.
225 Elm Avenue
Galt, CA 95632

Corporate Headquarters
800-356-3001

www.bmdusa.com

BMD

Building Materials Distributors, Inc.

An Employee Owned Company